JINDAL MITTAL

Graha Nirman Pvt. Ltd.



Date: 25/05/2025

To,
Principal Chief Conservator of Forests,
Ministry of Environment, Forest & Climate Change,
Regional Office (West Central Zone),
Ground Floor, East Wing,
"New Secretary Building"
Civil Lines, Nagpur - 440001

Subject: Submission of Half Yearly Post Environmental Clearance Compliance

Report - June 2025 Submission

Project: Proposed Construction Project "Sun Emerald" by Jindal Mittal

Graha Nirman Pvt. Ltd. at "S. No. 30/2B, Village - Kharadi, Tal.

Haveli, Dist. Pune"

Reference: EC Identification No. EC23B038MH119267 dated 10/11/2023

Respected Sir,

With reference to above subject, we are herewith submitting the post environmental clearance compliance report - June 2025 submission.

This is for your kind information and consideration.

Thanking You,

Yours Faithfully

" M/s. Jindal Mittal Graha Nirman

Authorized Signatory

Encl.:

1) Project details in MoEF format (Part-I &II).

2) Six Monthly Compliance Submission

Сору То,

1) Sub Regional Officer, Maharashtra Pollution Control Board, Jog Center, Pune - 03

2) Member Secretary, Maharashtra Pollution Control Board, Sion, Mumbai – 22.

3) Environment Department, Room No. 217, 2nd Floor, Mantralaya, Annexe, Mumbai-32.

MITTAL HOUSE

ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

June 2025 Submission

For Proposed Construction Project "Sun Emerald"

By

" M/s. Jindal Mittal Graha Nirman Pvt. Ltd."

At

"S. No. 30/2B, Village - Kharadi, Tal. Haveli, Dist. Pune"

EC Identification No. EC23B038MH119267 dated 10/11/2023

Prepared By

QCI NABET EIA Accredited Consultant Organization

Pollution and Ecology Control Services

Certificate No.: NABET/EIA/2023/SA0165

Monitoring the Implementation of Environmental Safeguards

$\label{eq:ministry} \begin{array}{ll} \mbox{Ministry of Environment, Forest \& Climate Change} \\ \mbox{Regional Office (West Central Zone), Nagpur} \\ \mbox{Monitoring Report Data Sheet (Part-I)} \end{array}$

Project Details

Sr.	Particulars	Details
1.	Project Type – River valley/Mining/	Construction Project
	Industry/Thermal/Nuclear/Other Specify	(Category 8 'a' Category B of EIA Notification 2006)
2.	Name of the Project	Proposed Construction Project "Sun Emerald" by
		"M/s. Jindal Mittal Graha Nirman Pvt. Ltd."
		.,,
3.	Clearance letter(s) /OM NO.& date	EC Identification No. EC23B038MH119267 dated
		10/11/2023
4.	Location	"S. No. 30/2B, Village - Kharadi, Tal. Haveli, Dist.
		Pune"
	a) District (s)	Pune
	b) State (s)	Maharashtra
	c) Latitude/Longitude	18 ⁰ 55'27.99" N and 73 ⁰ 93'00.12"E
	c) Latitude/Longitude	10 33 27.33 N and 73 33 00.12 L
5.	Address for correspondence	
٥.	Address for correspondence a) Address of concerned project Chief	Mr. Naresh Mittal
	executive (with pin code & telephone	'Mittal House', CTS 2095, Vijaynagar Colony,
	/tel/fax numbers)	Nilayam Theatre Chowk, Sadashiv Peth, Pune-
	b) Address of executive project	411030
	engineer/manager (with pin code/	Mob. No. 9325891146
_	fax numbers)	
6.	Salient Features	
	a) of the project	EC Letter is attached
	b) of the environment Management Plan	EMP Covers Following Aspects
		1. Air Environment
		2. Water Environment
		3. Energy Management
		4. Solid Waste Management
		5. Green Belt
		6. Statutory compliance
7.	Break up of Project Area	
	a) submergence area : forest &	Not Applicable
	non-forest	
	b) Others	Total Plot Area : 5035 Sq. m
		EC granted for Built up Area: 29380.61 Sq. m
		RG Area: 369.35 Sq. M.
8.	Breakup of the project affected population	No population Affected by project
	with enumeration of those losing houses/	
	dwelling unit only, agricultural land only,	
	dwelling units & agricultural land & landless	
	laborers/ artisan.	
	a)SC,ST/advises	Not Applicable.
	b) Others (Please indicate whether these	Not Applicable.
	figures are based on any scientific and	
	systematic survey carried out or only	
	provisional figures, if a survey is carried	
	1 providence rigares, in a survey is carried	L

	out give details and years of survey)		
9.	Financial Details :		
9.	I. Project cost as originally planned and subsequent revised estimates and the year of price reference	Projected Cost- 49.33 Crore	
	b) Allocation made for environmental management plans with item wise and year wise break-up	Capital Cost (EMP) - 189.64 Lacs (Including DMP) O&M Cost (Construction Phase) - 17 Lacs O&M Cost (Operation Phase) - 28.3 Lacs/year	
	 c) Benefit cost ratio/ internal rated of Return and the year of assessment 	Not Applicable.	
	e) Actual expenditure incurred on the environmental management plans so far	Construction Phase EMP – Approx. 6.13 Lacs (Labor Toilets, Sprinkling, Sanitation, Labor Health Checkups, Drinking Water Facility, Air Monitoring atc.)	
10.	Forest Land Requirement	Not Applicable. No forest land required.	
	a) The status of approval for diversion of forest land for non-forestry use	Not Applicable.	
	b) The status of clearing felling	Not Applicable.	
	c) The status of compensatory a forestation if any	Not Applicable.	
11.	The status of clear felling in nonforest area (such as submergence area of reservoir, approach rods), if any with quantitative information	Not Applicable.	
12.	Status of construction	Status of Construction - Architect Certificate is attached.	
13.	Reason for delay if the project is yet To start	Not Applicable	
14.	Dates of site Visits	Not Applicable	
	a) The dates on which the project was monitored by the regional office on previous occasions, if any	NA	
	b) Date of site visit for this monitoring report	NA	
15.	Details of correspondence with project authorities for obtaining action plans/information on status of compliance to safeguards other	NA	

Point Wise Compliance Report – Part II

I. SPECIFIC CONDITIONS

A, SEAC Conditions

Sr.	Conditions	Compliance
I)	PP to submit Fire NOC	Complied. Compliance submitted to Hon. SEIAA
	P to ensure that final STP treated effluent shall not find its way to nearby river / water body etc.	PP Consented to Condition
II)	PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021	
III)	PP to ensure that the water proposed to use for construction should not be drinking water. They can use recycled water or tanker water for proposed construction	being used for Construction Activity, PP has

B. SEIAA Conditions

Sr.	Conditions	Compliance
I)	PP has provided mandatory RG area of 369.35 Sq. M. on mother earth without any construction. Local planning authority to ensure the compliance of the same.	
1)	PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types and strength to increase the water permeable area as well as to allow effective fire tender movement.	Project is in construction phase after completion of construction work, Project
II)	PP to achieve at least 5% of total energy requirement from renewable sources.	PP has consented to Condition As informed design is as per ECBC
III)	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.	
v)	SEIAA after deliberation decided to grant EC for-FSI: 17506.84 m2, Non-FSI: 11873.77 m2 and Total BUA: 29380.61 m2 (Plan approval no-DPO/CC/0247/23, dated 27.04.2023).	

GENERAL CONDITIONS

Constru	ction Phase:	
I.	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	Complied. During construction phase the Dry Waste is being handed over to PMC authorized vendor.
II.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	PP has consented to Condition. PP has been taking precautionary measures.
III.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	No Hazardous waste material is generated since it is a construction activity.
IV.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Complied. PP has made arrangement for drinking water facility and Sanitary facility to construction workers.
V.	Arrangement shall be made that waste water and storm water do not get mixed	PP has consented to Condition. PP will made arrangement for the waste
		water and storm water do not get mixed.
VI.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred	For water conservation measures, use of ready-mix concrete and practice of curing regularly used.
VII.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Complied. No ground water extraction takes place.
VIII.	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	PP is not drawing ground water and not proposed basement in the project.
IX.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control	PP will be installed in later stages of construction phase.
X.	The Energy Conservation Building code shall be strictly adhered to.	PP has consented to Condition. PP will strictly adhere the stipulated condition.
XI.	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	Complied. The generated topsoil is being store and will be used for landscaping purpose.
XII.	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	PP has consented to Condition. Excavated debris & construction waste will be reused on site for backfilling and plot leveling.
XIII.	Soil and ground water samples will be tested to	Complied.

	ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Soil report is attached.	
XIV.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environmental Clearance.	PP has consented to Condition. Project proponent has been strictly adhering all the stipulated conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975.	
XV.	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards	PP has consented to Condition. CPCB approved enclosed type D.G. sets will be used in case of power failure. The location and height of the DG set will be installed as per the Central Pollution Control Board (CPCB).	
XVI.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environmental Clearance.	PP has consented to Condition. Project proponent has been strictly adhering to all the stipulated conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975.	
XVII.	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highway Department. The vehicle shall be adequately covered to avoid spillage / leakage.	Complied. Vehicles hired for bringing construction material to the site is regularly maintained.	
XVIII.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB	Complied. Ambient Noise level and Ambient Air monitoring done through MoEF approved laboratory.	
XIX.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low Sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board	PP has consented to Condition. CPCB approved enclosed type D.G. sets will be used in case of power failure. The Stack height of DG set will be installed as per the Central Pollution Control Board (CPCB).	
XX.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell / designated person.	Complied. Project proponent has made Separate Environment Cell for regular supervision	

General EC Conditions

Sr.	Conditions	Compliance
I)	PP has to abide by the conditions stipulated by SEAC& SEIAA.	PP has consented to Condition. Agreed to Comply with.
II)	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.	PP has obtained Consent to Establish from MPCB.
III)	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	
IV)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	As per the information provided, regular Post EC compliance reports are being
V)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	As per the information provided, regular Form V is being submitted to MPCB.
VI)	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	
VII)	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including Clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	
VIII)	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	
IX)	A complete set of all the documents submitted to Department should be forwarded to the Local	

Sr.	Conditions	Compliance	
	authority and MPCB.		
X)	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.		
XI)	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.		
XII)	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.	environmental clearance granted for the project.	
XIII)	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	trol on) tes its	
XIV)	Any appeal against this Environment clearance shall lie with the National Green.	PP has consented to Condition.	

INTRODUCTION

The Environmental Management Plan is a site-specific plan developed in order to ensure that the project is implemented in an environmentally sustainable manner, where all the contractors & sub-contractors (including consultants) understand the potential environmental risks arising from the proposed expansion project & take appropriate actions.

EMP also ensures that the project implementation is carried out in accordance with the design & by taking appropriate mitigation actions to reduce adverse environmental impact during its life cycle.

The Potential environmental Impact that needs to be regulated is mentioned below

- Air pollution due to the emission of Particulate Matter & gaseous pollutants.
- Noise pollution due to various noise generating equipment as well as vehicular movement.
- Wastewater generation from sanitary/domestic activities & Solid waste disposal.

To ensure better environment in & around the project site as well as for the neighboring population, an effective EMP is developed separately for construction & operations phase.

During Construction Phase

The proposed project will have construction activities. Pollution control during construction is of considerable importance & it is necessary to consider the potential of environmental pollution during this phase.

The following measures will be adopted during construction phase:

- Construction material will be stored in the covered go-down or enclosed spaces to prevent the wind blow fugitive emissions.
- Truck carrying soil, sand stone and dust will be covered to avoid spilling & fugitive emissions.
- Regular water sprinkling at vulnerable areas of construction sites will be done to control fugitive dust during material handling & hauling activities in dry seasons.
- During construction activity, labor may be employed from outside. We will be providing drinking water facility, mobile toilets for the workers.
- Noise control measures will be adopted at appropriate stages, the most effective being control at the source itself.
- The onsite workers working in the noisy area will adopt noise protection devices like ear plugs/muffs.
- Geo membrane fabric will be used around the scaffolding to minimize dust dispersion during construction activity.

During Operation Phase

Environment monitoring cell will be developed for environmental monitoring, analysis & control of all possible sources due to the proposed project. The responsibility of the cell will be to follow the pollution control measures stringently at proposed project site through a regular monitoring of various environmental parameters & to implement environment management plan effectively.

Land Environment

During Construction Phase

Waste generated from construction activity includes construction debris, The following section discusses management for each type of waste.

Construction debris:

Construction debris is bulky & heavy, reutilization & re-cycling is an important strategy for management of such waste. Recycled aggregate will be used for filler application, and as a sub-base for road construction. The mixed debris with high gypsum will be given to the recyclers, as they are highly susceptible to contamination so plaster cannot be used for filling.

- ➤ Recyclable waste (paper waste, plastic and metal scrap steel / glasses) will be sold to recyclers.
- > Bricks, metal, chips, cut tiles will be used for internal paving.
- > Substratum used for back filling and for making pathways
- ➤ Remaining will be disposed to authorized waste disposal site.
- Recyclable waste will be disposed off through recyclers.

During Operation Phase

Solid waste management will be to encourage the four ways of waste i.e. Waste Reduction, Reuse, Recycling & Recovery (material & energy). This will result lesser quantity will be landfill. Environment Management plan basically focuses on 3 major components of the waste management system i.e. collection & transportation, treatment or disposal.

Air Environment

During Construction Phase

There will be daily sprinkling of water on road which will reduce the fugitive dust emission. PUC will be compulsory for all the vehicles that will be parked at the project site. The construction machinery will be kept in secured place and the use of low sulphur fuel will help in reducing the adverse impact.

Following measures will be carried out for further environmental improvements:

• Environment management cell will be developed for the regular check-up & efficient maintenance of all the pollution control arrangements.

- To prevent fugitive emissions at solid handling areas conveyors, elevators, silos etc. All other transfer points proper care will be taken to minimize the exit of particulates.
- A greenbelt around the project site & plantation within the plant premises especially around the possible sources of fugitive emissions is recommended to further reduce the dust emission to maintain a clean & healthy environment.

Operation Phase

To mitigate the impact of the pollutants from vehicular traffic during the operational phase of the site, the following measures are recommended for the implementation:

Vehicle Emission Controls

Adequate informatory signage/speed control devices will be put up within the premises near entry/exit gates to regulate & control the speed of outgoing/incoming traffic. Regular maintenance of the vehicles will be mandatory. PUC will be compulsory for all the vehicles being parked in the building premises.

Landscape Development

Increasing vegetation in the form of landscape is one of the preferred methods to mitigate air pollution. Plants generate oxygen, it serves as a sink for pollutants, & they reduce the flow of dust & noise pollution.

Noise Environment

Construction Phase

To mitigate the impact of noise from construction equipment, the following measures will be proposed

- Noise prone activities will be restricted to the extent possible during night.
- Screening or fencing of the construction site will be done with proper height of fence to prevent nuisance to neighboring habitation.
- Workers employed in high noise areas will be rotated.
- Earplug/Ear mug will be provided to the workers & other hearing protective wear will be provided to those working very close to the noise generating machinery.

Water Environment

Construction Phase

Following measures will be carried out for further environmental improvements.

- Necessary care will be taken to avoid soil erosion.
- Construction activity does not generate any oil/grease.
- Construction activities generate disturbed soil, concrete fines, oils and other wastes. Onsite collection and settling of storm water, prohibition of equipment wash downs, and prevention of soil loss and toxic releases from the construction site are necessary to minimize water pollution.

Operation Phase

Water Conservation measures have been taken including all possible potential for re-use & recycling of water. These could be in the form of the following:

Minimizing water consumption

Water consumption will be minimized by a combination of water saving devices and other domestic water conservation measures. Furthermore, to ensure ongoing water conservation, an awareness programme will be introduced.

Usage:

- We will use water efficient, low flow plumbing fixtures. The water efficient plumbing fixtures use less water with no marked reduction in quality and service.
- Promoting reuse of water after treatment & development of closed loop systems
- To promote reuse and development of closed loop system for water, segregation of two schemes namely;
 - Wastewater Treatment Scheme
 - Storm Water Management scheme have been suggested.

Wastewater Treatment Scheme

MBBR technology will be used for sewage treatment. Treated sewage will be used for flushing & gardening.

BIOLOGICAL ENVIRONMENT

Construction Phase

The construction activities will be carried out only during the day time by minimizing the magnitude of the impact. Also water sprinkling will be carried out on the construction site.

Operation Phase

The project is commercial in nature & will have minimal emissions, for which efforts will be taken to minimize the impact. Extensive plantation & landscaping is done to mitigate any impact during this phase.

Plantation & Landscaping

Selection of the plant species has been done on the basis of their adaptability to the environment. During development of green belt within the project area, emphasis has been given to selection of plant species like nitrogen fixing species, species of ornamental values, species of very fast growth with good canopy cover etc.

Environment Monitoring Cell

We will form the environmental management cell which will be headed by an Environment Manager. He will be supported by adequate number of personnel having sufficient educational and professional qualification and experience to discharge responsibilities related to environmental management including; statutory compliance, pollution prevention, environmental monitoring, preventive maintenance of pollution control equipment and green belt development. The head of the cell will directly report to the top management. This cell will be a nodal agency to coordinate and provide necessary services on environmental issues during construction and operation of the project. This department will interact with MPCB, MoEF, CPCB and Other environment regulatory agencies. The cell will be effective until handing over of the project to the Environmental Management Committee.

Environmental Management Audits

The management audits are to be determining whether the activities are conforming to the environmental management systems & effective in implanting the environmental policy. They may be internal or external, but carried out impartially & effectively by a person properly trained for it. Abroad knowledge of the environmental process & expertise in relevant disciplines is also required. An appropriate audit programs & protocols will be established.

Organization & Environment Management Cell

S. No	Level	Designation	Purpose
1.	Honorary	Director/Managing Committee	Policy
2.	Manager	Environment Scientist/Chemist	Job(*)
3.	Executive	Supervisor, contractor, Engineers Implement	
4.	Third Party	Environmental sampling, analysis will be done through external agency approved by MoEF/MPCB.	Monitoring, Testing

Responsibilities of Environment monitoring cell

Attribute	Construction Phase	Operation Phase
Water Regime	 Install water meters, take reading routinely, & record in the register. Install necessary mobile toilet for construction workers & staff etc. to look after its operational & maintenance. Keep a daily watch on sanitation/drains & good housekeeping. Examine proper management of channelization of water to avoid water logging at site. Oil spill prevention measures to be taken to avoid pollution of water body. Material storage areas to be kept far away from water body 	 Install waster meters & take readings routinely. Monitoring of PH, COD, BOD& TSS of the units to ensure good treatment of wastewater into sewage treatment. Ensure the network of connection to rain water harvesting units. Monitoring of water from recharge pits for specified parameters.
Air	 Monitoring of Air Quality through MoEF approved lab. Ensure water sprinkling for dust suppression. Ensure the use of covering sheets, on the material being transported incoming or outgoing or stored. Use as backup power DG sets to be procured from renowned suppliers with acoustic enclosures. Examine proper traffic arrangements for construction vehicles including instance of their PUC. Prohibition of open burning of solid waste. Provision of mask & other personnel gazettes to workers with regular health check-up programme. 	 Prepare a schedule & implement proper maintenance of DG sets for use as back up power DG sets to be procured from renowned suppliers with acoustic enclosures & specification as per CPCB norms for its stack height. Trees will be planted with special care for controlling dust & noise & placing them very near to the sources of nuisance from air & noise point of view. Monitoring of Air quality through MoEF approved lab. DG Set Stack monitoring through MoEF approved lab.
Solid Waste	 Provide training to sub-contractor & worker for good sanitation & collecting their individual waste separate it as dry & wet in respective color coded dustbins provided. Isolated storage of construction raw material such as paint varnishes etc. Segregated garbage will be handed over to authorized agency. 	 Ensure collection of solid waste everyday & keeping the record of this qty& documents. Segregation of garbage into degradable &non biodegradable garbage sent it to the dedicated OWC, carefully without spillage.

Soil & Greening	 Provision of separate place for storage of top soil to be used in due course for plantation. Avoid excavation during high windy day & heavy monsoon day. Excess excavation will be used within the premises. Ensuring that no trees cutting. Plant trees along the boundary of project area. 	 Proper landscaping is designed by the landscape architect that are of native species, having good canopy capable of barricading noise, wind borne dust. Ensure maintenance of lawn & tree plantation. Provision of work force, tools & watering arrangements. The trimming to be conducted routinely & especially at advent of monsoon. To keep a watch on storm water drainage especially on adequacy
Noise	 To prepare & get approved a regular Noise monitoring schedule & stations. Provision of ear plugs for constructions labor & staff insist its use. There will be no noisy work in night shift. Ensure the provision of barricades along periphery of the site. To obtain guidance from the suppliers & maintain acoustic enclosures for DG sets 	of capacity. To prepare & get approved a regular Noise monitoring schedule. To obtain guidance from the suppliers & maintain acoustic enclosure for DG sets. To ensure smooth flow make provision of proper parking arrangements, traffic management.



eurofinelab@gmail.com
9922474646 / 9637345858

	TEST REPORT				
Report No: EFEL/PRO/2025/05/571 Issue Date 15/05/2025					
Name and Address of	"Sun Emerald" by "M/s. Jind	lal Mittal Graha Nirman Pvt.	Ltd." at "S. No. 30/2B, Village -		
Customer	Kharadi, Tal. Haveli, Dist. Pu	ne"			
Sample Name	Sample Description Ambient Air				
Date of Sampling	09/05/2025	Sampling duration	1440 Min		
Sampling Location	Near Main Gate	Sampling Procedure	CPCB Guideline for measurement of Ambient Air pollutants Volume I		
Dry bulb temperature	36°C	Wet bulb temperature	30°C		
Relative Humidity	44% RH	Sampling done by	Client		
Start Date of Analysis	10/05/2025	End Date of Analysis	15/05/2025		
Results					

Sr. No.	Parameters	Results	Unit(s)	Specifications (NAAQ Standards)	Methods		
1	Sulphur Dioxide(SO₂)	20.5	μg/m³	≤ 80	IS 5182 (Part 2)		
2	Oxides of Nitrogen(NO ₂)	27.3	μg/m³	≤ 80	IS 5182 (Part 6)		
3	Particulate Matter PM ₁₀	63.8	μg/m³	≤ 100			
4	Particulate Matter PM _{2.5}	35.1	μg/m³	≤ 60			
5	Carbon Monoxide (CO)	1.33	mg/m³	≤ 04			
6	Ozone(O ₃)	25.8	μg/m³	≤ 180	CPCB 6.8 for measurement of		
7	Lead (Pb)	BDL	μg/m³	≤ 01	Ambient Air pollutants		
8	Arsenic(As)	BDL	ng/m³	≤ 06	Volume I		
9	Nickel(Ni)	BDL	ng/m³	≤ 20			
10	Ammonia(NH ₃)	<5	μg/m³	≤ 400			
11	Benzo(a)Pyrene(BaP)	BDL	ng/m³	≤ 1.0			
12	Benzene(C ₆ H ₆)	BDL	μg/m³	≤ 05	IS 5182 (Part 11)		

Remark- All above results are within National Ambient Air Quality standards. BDL – Below Detectable Limit.

* DII JAD OU

Authorized Signatory Mr. Mahesh Shelar (Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road, Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.



eurofinelab@gmail.com
9922474646 / 9637345858

TEST REPORT							
Report No:	EFEL/PRO/2025/05/572						
Name and Address of	"Sun Emerald" by "M/s. Jin	dal Mittal Graha Nirman Pvt	. Ltd." at "S. No. 30/2B, Village -				
Customer	Kharadi, Tal. Haveli, Dist. Po	Kharadi, Tal. Haveli, Dist. Pune"					
Sample Name	Drinking Water	Sample Description	Drinking water				
Date of Sampling	09/05/2025	Sampling duration					
Sampling Location	Labour Camp Cooler	Sampling Procedure	APHA 1060				
Sampling done by	Client	Sample Quantity	1Ltr				
Start Date of Analysis	10/05/2025	End Date of Analysis	15/05/2025				
Results							

	Results						
Sr. No.	Parameters	Results	Unit(s)	Specifications (IS 10500)	Methods		
1	pH at 25°C	6.96		6.5 to 8.5	APHA 4500 H+ A, 23 rd Ed.2017		
2	Total Dissolved Solids TDS	62.3	mg/L	<500	APHA 2540 C, 23 rd Ed.2017		
3	Total Hardness (as CaCO ₃)	29.1	mg/L	<200	IS 3025 (Part 21)		
4	Total Alkalinity	10.0	mg/L	<200	IS 3025 (Part 23)		
5	Sulphate (as SO ₄)	4.89	mg/L	<200	IS 3025 (Part 24)		
6	Nitrate(as NO ₃)	0.32	mg/L	<45	APHA 4500 NO3, 23 rd Ed.2017		
7	Fluoride (as F)	<0.05	mg/L	<1.0	APHA 4500 F, 23 rd Ed.2017		
8	Residual Free Chlorine	<0.05	mg/L	<0.2	APHA 4500 Cl, 23 rd Ed.2017		
9	Chloride (as Cl)	21.1	mg/L	<250	APHA 4500 Cl-, 23 rd Ed.2017		
10	Calcium (as Ca)	5.32	mg/L	<75	IS 3025 (Part 40)		
11	Magnesium (as Mg)	1.92	mg/L	<30	IS 3025 (Part 46)		
12	Iron (as Fe)	<0.05	mg/L	<0.3	APHA 3111, 23 rd Ed.2017		
13	Total Coliform	Absent	MPN/100ml	<2	IS 1622:1981		
14	E.coli.	Absent	MPN/100m	<2	IS 1622:1981		

Remark(s):

- ➤ The above water sample is Comply with required limit as per 10500:2012.
- For Total Coliform & E.coli. < 2 can be consider as Zero [Refer IS:1622 (R.A.1996), Table No.-4].

* DII JA de

Authorized Signatory Mr. Mahesh Shelar (Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road, Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.



eurofinelab@gmail.com
9922474646 / 9637345858

TEST REPORT							
Report No:	EFEL/PRO/2025	5/05/573	Issue Date	15/05/202	5		
Name and Address of	"Sun Emerald"	by "M/s. Jindal Mi	ttal Graha Nirman Pvt	. Ltd." at "S. No	o. 30/2B, Village -		
Customer	Kharadi, Tal. Ha	veli, Dist. Pune"					
Sample Name	Noise		Sample Description	Ambient N	loise		
Date of Sampling	09/05/2025		Sampling duration	Spot Time			
Sampling done by	Client		Sampling Location	Near Main	Gate		
		Noise Monit	oring Report				
Timing	Result dB(A)	Timing	Result dB(A)	Unit	CPCB Standards dB(A)		
06.00	48.3	18.00	50.5	dB(A)			
07.00	48.4	19.00	43.5	dB(A)			
08.00	49.9	20.00	43.2	dB(A)			
09.00	50.1	21.00	44.3	dB(A)			
10.00	50.5	22.00	42.8	dB(A)			
11.00	50.3	23.00	42.5	dB(A)	55/45		
12.00	49.8	24.00	41.2	dB(A)	55/45		
13.00	48.0	01.00	41.1	dB(A)			
14.00	48.1	02.00	40.9	dB(A)			
15.00	49.3	03.00	39.3	dB(A)			
16.00	50.9	04.00	38.5	dB(A)			
17.00	50.4	05.00	40.9	dB(A)			
Day Time Leq	50.3						
Night Time Leq	40.9						

Remark-

- > All above Noise level results are within Central Pollution Control Board Standards limit.
- Day/Night -55/45 dB.



Authorized Signatory Mr. Mahesh Shelar (Managing Director)

Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road, Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.



eurofinelab@gmail.com
9922474646 / 9637345858

	TEST REPORT							
Repo	Report No: EFEL/PRO/2025/05/574 Issue Date 15/05/2025							
Name and Address of "Sun Emerald" by "M/s. Jindal Mittal C					n Pvt. l	td." at "S. No. 30/2B, Village -		
Custo	omer	Kharadi,	Tal. Haveli, Dist. Pune	ıı .				
Samp	le Name	Soil		Sample Description	n	Soil		
Date	of Sampling	09/05/20	025	Sampling Time		15:10 PM		
Samp	ling Location	Landscap	oe area	Sampling Procedu	re			
Samp	ling done by	Client		Sample Quantity		02 kg		
Start	Date of Analysis	10/05/20	025	End Date of Analy	sis .	15/05/2025		
			F	Results				
Sr. No.	Parameter	S	Results	Unit(s)		Methods		
1	Soil Texture							
	a) Sand		25	%				
	b) Silt		30	%		Manual Of Soil Testing		
	c) Clay		45	%		Wallact St. Festing		
	A. Soil type		Silty clay	-		16.2720/2 + 2.6) 1007		
3	pH at 25°C EC at 25°C		7.62 845.8			IS 2720(Part 26) 1987 IS 14767 : 2000		
3 4	Moisture Content		5.1	μS/cm %		Manual Of Soil Testing		
	Organic Matter		4.0	%		IS 2720(Part 22) 1972		
6	Cation Exchange Ca	nacity	3.5	meq/100g		Manual Of Soil Testing		
7	Total Soluble Sulph	<u> </u>	46.3	mg/Kg		Manual Of Soil Testing		
8	Available Phosphor		13.4	mg/Kg		Manual Of Soil Testing		
9	Available Nitrogen		3.6	mg/Kg		Manual Of Soil Testing		
10	Water Holding		50.7	%		Manual Of Soil Testing		
11	Calcium as (Ca)		44.6	mg/Kg		Manual Of Soil Testing		
12	Magnesium as (Mg)	21.2	mg/Kg		Manual Of Soil Testing		
13			<0.01	mg/Kg		Manual Of Soil Testing		
14	Copper (as Cu)		<0.05	mg/Kg		Manual Of Soil Testing		
15	Zinc (as Zn)		1.3	mg/Kg		Manual Of Soil Testing		
16	Cadmium (as Cd)		<0.01	mg/Kg		Manual Of Soil Testing		
17	Iron (as Fe)		8.52	mg/Kg		Manual Of Soil Testing		
18	18 Manganese (as Mn)		0.63	mg/Kg		Manual Of Soil Testing		



Authorized Signatory Mr. Mahesh Shelar (Managing Director)


Page 01 of 01

Laboratory Recognized by Ministry of Environment, Forest (MoEF) & Climate Change (CC) Govt. of India.

Registered Address: Flat No. A-5, Balaji palace, Kharadi Road, Chandan Nagar, Tal. Haveli, Dist. Pune - 411014.

SITE PHOTOS







Date: 26.05.2025

TO WHOM SO EVER IT MAY CONCERN

Sub: Built up area completion statement of proposed Residential Project "Sun Emerald" **by Jindal Mittal Graha Nirman Pvt.Ltd.** located at S.No 30/2B, Kharadi, Taluka- Haveli, Pune-412014.

Dear Sir.

As the architect of the above-mentioned project, whereby give an undertaking regarding the construction works carried out till date for our project is as per the earlier Environmental Clearance (vide letter no. SIA/MH/INFRA2/429556/2023 dtd 10/11/2023).

As per EC granted Proposed FSI Area (Sq.m) 17506.84, Proposed Non FSI Area (Sq.m) 11873.77 & Total Built Up Area (Sq.m) 29380.61

The building wise already constructed BUA is tabulated as below:

Licence No

Bldg. No. & Configuration as per EC	Floors constructed as on date	Constructed Areas			
per de	on taute	FSI Area (Sq. m)	Non FSI Area (Sq. m)	Total BUA (Sq. m)	
Tower-01+02	B1+B2+L.G.+ U.G	45.34	8094.00	8139.34	
B2 + B1 + L.Gr +					
U. Gr + 16 Floors					
Total Built Up				8139.34	
Area					

For ANA Consortium Pyt Ltd.

Authorized Signatory

ANA. 7th Floor, Mantri Sterling, Behind Manikchand Galleria, Off SB Road, Shivaji Nagar, Pune - 16., CTS No. 997.

Tel.: +91-20-2565 6542.

Email: happytohelp@teamana.in | www.teamANA.in



Single-Window Hub

and Virtuous Environmental





Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The -1

JINDAL MITTAL GRAHA NIRMAN PRIVATE LIMITED

Mittal House, 2095, Sadashiv Peth, Vijaya Nagar Colony, Nilayam Theater Chowk, Pune-411030 -411030

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/429556/2023 dated 18 May 2023. The particulars of the environmental clearance granted to the project are as below.

EC23B038MH119267 1. EC Identification No.

2. File No. SIA/MH/INFRA2/429556/2023

New 3. **Project Type** 4. Category В

8(a) Building and Construction projects 5. Project/Activity including Schedule No.

6. Name of Project Proposed Project "Sun Emerald" at Kharaui, i siii Nirman Pvt. Ltd. IINDAI MITTAI Kharadi, Pune by M/s Jindal Mittal Graha

JINDAL MITTAL GRAHA NIRMAN 7. Name of Company/Organization

PRIVATE LIMITED 8. **Location of Project** MAHARASHTRA

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Darade, I.A.S. Date: 10/11/2023 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/429556/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s Jindal Mittal Graha Nirman Pvt. Ltd., S.No. 30/2B, Village – Kharadi, Taluka – Haveli, District – Pune.

Subject : Environmental Clearance for Proposed Project "Sun Emerald" at S.No.

30/2B, Village - Kharadi, Taluka - Haveli, District - Pune by M/s Jindal

Mittal Graha Nirman Pvt. Ltd.

Reference: Application no. SIA/MH/INFRA2/429556/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 176th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 266th (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 22nd September, 2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/INFRA2/429556/2023			
	Name of Project	Proposed Project "Sun Emerald" at Kharadi, Pune by M/s Jindal Mittal Graha Nirman Pvt Ltd.			
3.	Project category	Schedule 8(a) Category B2			
4.	Type of Institution	Private			
	Project Proponent	Name Mr. Naresh Mittal, M/s Jindal Mittal Graha Nirman Pvt Ltd.			
5.		Regd. Mittal House 2095, Sadashiv Peth, Vijay Nagar Colony, Office Nilayam Theatre Chowk, Pune 411030.			
		Contact number 9822026059 e-mail mgsungarnet@gmail.com			
	Consultant	ACO Name - Srushti Seva Private Limited NABET - NABET/EIA/1821/SA 0107			
7.	Applied for	Fresh EC			
8.	Details of previous EC	NA			
9.	Location of the project	S.No. 30/2B, Village – Kharadi, Taluka – Haveli, District – Pune, State – Maharashtra, 411014.			
11.	Total Plot Area (m2)	5035			
12	Deductions (m2)	1341.88			
13	Net Plot area (m2)	3693.12			
	Proposed FSI area (m2)	17506.84			
15	Proposed Non-FSI area	11873.77			

			I						
	(m2)		20200 6						
	Proposed TBU		29380.6					·	
	TBUA (m2) ar		29380.6	1					
1 1	Planning Auth	ority till							
	date		D 40.0	2.6					
	Total Project C		Rs. 49.3		<u> </u>		C 4 (D)	- >	D
	CER as per Mol		- 11	Activity	Location		Cost (R	s.)	Duration
1 1	circular dated 01	1/05/2018	Details	ın CER actı	vities Annexu	re			
20.									
	Details of Buil	ding Config	uration	•				Res	son for
	<please for<="" td="" use=""><td></td><td></td><td></td><td>rking = Pk. F</td><td>odium</td><td>$= P_0$.</td><td>1</td><td>dification</td></please>				rking = Pk. F	odium	$= P_0$.	1	dification
	Stilt =St, Lowe							1	nange
1 1	Shops = Sh>	or Ground	20, op	por Ground			_,		
	Existing Building	g as Propose	ed Confi	guration			- V		
	per EC	8 1							
21.	Building Curre	nt Buildin	g	Configura	tion		Height	No	
1 1	Name Status		Ü				(m)	Cor	struction
	- / - /	Tower 1		B2 + B1 +	L Gr P + U Gr	P + 16	53.25	initi	ated on
				Floors Site.					
	-	Tower 2	•	B2 + B1 +	L Gr P + U Gı	P + 16	53.25		
į				Floors				<u>.</u>	
22.	Total number of	of R	esidentia	l Tenements	150 Nos.				
22.	tenements								
	Water Budget				Wet Season (_#	
		Fresh Water		<u>'.50</u>	Fresh Water		67.50		
		Recycled		.44	Recycled		33.75	100	
23.		Swimming P			Swimming Po	ol	2.00		
25.		Flushing		.75	Flushing		33.75		diff Du
-45	[67 - 경기 기계 H	Total	105.94		Total		103.25		
		Waste water	95	;	Waste water		95		
	1 N N N N N N N N N N N N N N N N N N N	generation			generation				
	Water Storage		r Firefig	ghting / UG	\mathbf{T}_{-}			`- As	per NOC
	Source of water						PMC	AgjaV	1.50=
1	1.00 miles (1.00 m	Level of the	Ground	water table					M BGL
	Harvesting	a :				onsoon:	10.25 -	14.5	0 M BGL
	(RWH)	Size and no	or KWI	ı tank(s) ai	nd NA				
26.		Quantity	l ains of		2 Nog	£ C:20	lm x 1m	x 1 r	
		Quantity and Details of U			Domes		118		11
	·	Details of U	GI tank	s II any	338° 8		34	•	
					Flushir Fire	<u>ıg</u>		ner l	NOC
ļ	Cawaga and	Cawage gen	arotion	95	jr ire			peri	NOC
	Sewage and Wastewater	Sewage genuer in CMD	ici auton	73					
27	vv asic walti	STP techno	logy	MBBR			_		
27.				105		*			
		Capacity of	SIL	103					
	Solid Waste	(CMD)		 Quantity (kg	r/d)	Treatm	ent / disp	neal	
28.		Type Dry waste		As per NBC	· · · · · · · · · · · · · · · · · · ·		h author		
L	pvianagement	pry waste		Te her MDC		_{[1} moug	n auunoi	izcu	agency

	during	Wet waste	As pe	r NBC	Thro	ough authorized agency		
	_	Construction w		r C & D rules		ough authorized agency		
	Phase	Constituction w	aste pe	1 C & D Tuics	1	agn aumorized agency		
	Solid Waste	Туре	Ouan	tity (kg/d)	Trea	tment / disposal		
		Dry waste	150	<u> </u>		ded over to Authorized		
	during	Diy waste			Age			
	Operation	Wet waste	225			tu Composting		
20	Phase	Hazardous was		oihle.		ligible		
27.		Biomedical w		gioic	N.A			
		E-Waste	2.05	4 196 <u>4</u>		ded over to Authorized		
		L- Waste	2.03			nantler/Recycler		
		STP Sludge (dr	y) 21.00			tu Composting		
	Green Belt	Total RG	· · · · · · · · · · · · · · · · · · ·			iu Composting		
	1	a 12 (201)	area 509.	ين				
30.	Development	(m2)	of trees 46	<u> </u>	<u> </u>			
		- 111 / Park - 11	and the State of t					
	Danie de la companya della companya della companya de la companya de la companya della companya	to be plan		PDCI	. A dirin			
	Power	200 P. S. C.	power MS	יחרד				
	requirement	supply	45 k	W	<u> 1964 - Mari I</u>			
		During	str. amazina (1996)	W				
1		Construct	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
		Phase (De	emana	TO BARBARAN FOR				
		Load)	112	3 kW	The processing of the processi			
		During	TO SECURE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1) K W				
31.		Operation				보다. 영화의		
		(Connect	ea					
		load)	568	1-337		<u>에 된 사람, 그렇게 그렇게 되었다</u>		
		During	1000 1200 L. S. S.	KW				
		Operation (Demand						
		Transform		kVA X 1 Nos		- <u>2 </u>		
				12				
		DG set		kVA X 1 Nos				
- 1		Fuel used						
	13.1					re proposed to work on high		
	saving					oureau of energy efficiency		
			again res		saving in			
					mich 6.227	6 losses are saved against		
	1312	convention	nal transfor	ner.				
•		D C-		and fo	r lood now	ver factor correction and to		
	4.0					results in less demand load		
		33 I 4		wer situation	. Tills also	results in less demand load		
			the project.	or Colon Stud	et Liabta I	Energy Efficient Motors are		
		1, 1	v, mut wa	ici, soiai sut	ot Lights, I	morgy Emiliarian motors are		
-	-	proposed	Details	·		Cost per annum (Rs. In		
		No.	Details			, - ·		
	Environmenta	ıl	Water for t	for Construction, Labour & 4.0		4.0		
	Management	11	1		Labour &	۳.0		
32		uring ₂	Dust Supp		& Safata	3.0		
	Construction	92		tion & Health	& Salety	ρ. υ		
	phase		PPE Kits	4-1 N / 4		4.0		
		3	Environmental Monitoring			4.0		
		4	Disinfection	n& Health &	Satety	3.0		

		5 Health	Check up	3.0	
	Environmental	Component	Details	Capital	O&M (Rs.In
	Management plan			(Rs.In Lacs)	Lacs/Y)
	Budget during Operation phase	Sewage treatment	Waste Water Management	38.25	9.00
	F F	RWH	RWH Pits	3.75	0.15
		Solid Waste	Organic Waste Composting	12.00	5.29
34.		Green belt development	Tree Plantation	6.95	1.61
			Energy Conservation	58.63	1.75
			Pollution Control	0.0	6.0
i		Disaster Management	Fire & LA	70.06	3.50
			Biomedical Waste Management	0.0	1.0
	Traffic Management	Type Requir	red as per DCR Actual Provided	2004-00-00 Part Section	r parking (m2)
35.		4- 198 Wheeler	198		7541.35
		2- 158 Wheeler	158		
36.	Details of Court call if any	ases / litigation v	w.r.t. the project and project	ect location	NA

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 266th (Day-3) meeting held on 22nd September, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit the Fire NoC.
- 2. PP to ensure that final STP treated effluent shall not find its way to nearby river / water body etc.
- 3. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 4. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP has provided mandatory RG area 369.35 m2 on mother earth without any construction i.e. Club house, swimming pool etc. Local planning authority to ensure the compliance of the same.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.

- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for-FSI- 17506.84 m2, Non FSI-11873.77 m2, total BUA- 29380.61 m2. (Plan approval No-DPO/CC/0247/23, dated-27.04.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission

- norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell/designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).

- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to

- SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade
(Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24044532/4024068/4023516 Website: http://mpcb.gov.in Email: jdwater@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Date: 23/11/2023

Infrastructure/ORANGE/L.S.I

No:- Format1.0/JD (WPC)/UAN No.0000178080/CE/2311001956

To.

"Sun Emerald" by M/s. JINDAL MITTHAL GRAHA NIRMAN PVT LTD; S. No.30/2B, Kharadi, Tal. HAveli, Dist. Pune.





Sub: Consent to Establish for Proposed Residential Construction Project under Orange category.

Ref: Application for Consent to Establish vide UAN. MPCB-CONSENT-0000178080 dtd. 11/08/2023.

Your application NO. MPCB-CONSENT-0000178080

For: Grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal ofAuthorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- 1. The Consent to Establish is granted for a period upto commissioning of project or up to 5 year whichever is earlier.
- 2. The capital investment of the project is Rs.49.3343 Cr. (As per undertaking submitted by pp).
- 3. The Consent to Establish is valid for Proposed Residential Construction Project named as "Sun Emerald" by M/s. JINDAL MITTHAL GRAHA NIRMAN PVT LTD; S. No.30/2B, Kharadi, Tal. Haveli, Dist. Pune on Total Plot Area of 5035 Sq Mtrs for construction BUA of 29380.61 Sq Mtrs including utilities and services
- 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
	Domestic effluent		Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set (160 KVA)	1	As per Schedule -II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	E-WASTE	750 Kg/Annum	INIΔ	Handed over to Authorized Vendor
2	DRY WASTE	150 Kg/Day	Segregation	Hand Over to Local Body
3	WET WASTE	225 Kg/Day	OWC	Use as manure.
4	STP SLUDGE	21 Kg/Day	NA	Used as manure

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	2 As Actual	Ltr/M	INIΔ	Send to Authorized Reprocessors.

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10. PP shall install organic waste digester along with composting facility/biodigester (biogas) with composting facility for the treatment of wet garbage.
- 11. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- 12. The project proponent shall make provision of charging of electric vehicles in at least 30 % of total available parking area.
- 13. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.
- 14. PP shall obtain Environmental Clearance from competent authority for the proposed activity. PP shall not take effective steps towards construction without obtaining Environmental Clearance.
- 15. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E & Environmental Clearance/CRZ Clearance.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-20971	21/08/2023	NEFT

Copy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to provide MBBR based Sewage Treatment Plants (STPs) of combined capacity 105 CMD for treatment of domestic effluent of 95 CMD.
 - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	рН	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	105.94
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1) As per your application, you have proposed to provide the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	DG Set 160 KVA	Acoustic Enclosure		HSD 29.43 Ltr/Hr		SO2	15.36 Kg/Day

2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 5) Conditions for utilities like Kitchen, Eating Places, Canteens:
 - a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
 - b) The toilet shall be provided with exhaust system connected to chimney through ducting.
 - c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
 - d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

SCHEDULE-III

Details of Bank Guarantees:

	r. o.		Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
		10.0			Compliance	•	Up to
1	1	C2E	Lakhs.	15 Days	of Consent	Commissioning of	Commissioning of
		Lakiis.		Conditions	the Project	the Project	

^{**} The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG		Reason of BG Forfeiture	
NA							

BG Return details

Srno. Consent (C2E/C2O/C2R)	BG imposed Purpose of	of BG Amount of BG Returned					
NA							



SCHEDULE-IV

Conditions during construction phase

- A During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
- During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
- Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.

- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.





जिंदल मित्तल गृह निर्माण प्रा.िल तर्फे डायरेक्टर श्री.नरेश रामचंद्र मित्तल २०९५, सदाशिव पेठ, विजया नगर कॉलनी, निलायम थेयेटर चौक, पुणे-४११०३०.

कार्यकारी अभियंता कार्यालय मलनिःसारण देखभाल व दुरुस्ती पुणे महानगरपालिका जावक क्र.:- ८८०८

दिनांक :- %/८/४०२३

यांज.....

विषय: स.नं.३०/२ब पैकी, खराडी, पुणे या मिळकती मधील इमारत नियोजित बांधकामासाठी इनव्हायरमेंटल क्लियरन्ससाठी ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला देणे बाबत.

संदर्भ : १) केंद्रीय पर्यावरण व वन मंत्रालय नवी दिल्ली यांचेकडील अधिसुचना दि.१४/०९/२००६

- २) **जिंदल मित्तल गृह निर्माण प्रा.िल तर्फे डायरेक्टर श्री.नरेश रामचंद्र मित्तल** यांचा खात्याकडील प्रस्ताव आ.क्र.१९१९ दि.१६/०६/२०२३.
- ३) मा.अधिक्षक अभियंता, मलिन:सारण देखभाल दुरूस्ती विभाग यांची प्रशासकीय मान्यता ठ.क्र.मलिन/EC/१६८/२०२३ दि.०४/०७/२०२३.

विषयांकित मिळकती साठी संदर्भ क्र.१ अन्वयेच्या अधिसुचनेनुसार मलिन:सारण देखभाल दुरूस्ती विभागाकडील इनव्हायरमेंटल क्लियरन्ससाठी प्रोव्हीजनल दाखला घेणे आवश्यक आहे. त्यानुसार विषयांकित मिळकतीकरीता इनव्हायरमेंटल क्लियरन्ससाठी ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला मिळणेकरीता संदर्भ क्र.२ अन्वये जिंदल मित्तल गृह निर्माण प्रा.िल तर्फे डायरेक्टर श्री.नरेश रामचंद्र मित्तल यांनी प्रस्ताव दाखल केला असून प्रस्तावा सोबत प्रस्तावित बांधकाम नकाशे, सातबारा उतारा, इत्यादी कागदपत्रे दाखल केलेली आहे. प्रस्तावाची छाननी केली असता त्यामध्ये खालील बाबी नमुद केलेल्या आहेत.

- १ मिळकतीचे क्षेत्रफळ
- २ बिलटप ऐरिया (एफ.एस्.आय + नॉन एफ.एस्.आय)
- ३ इमारतीची संख्या (निवासी+व्यापारी)
- ४ एकुण सदनिका
- ५ व्यापारी गाळे (कमर्शिअल एरिया)
- ६ मान्य नकाशा प्रत
- ७ सी.सी/०२४७/२३ दि.२७/०४/२०२३
- ८ आवश्यक पाणी पुरवठा
- ९ तयार होणारे मैलापाणी
- १० सिवरेज टिंटमेंट प्लॅटची आवश्यक क्षमता
- ११ सिवरेज टिंटमेंट प्लॅटची प्रस्तावित क्षमता
- १२ एस.टी.पी डिझाईन ची ड्राईंग्ज व अहवाल
- १३ मंजूर/प्रस्तावित नकाशात एस.टी.पी दर्शविलेला आहे का? असल्यास मोजमापे
- १४ पाण्याचा पुर्णवापर करण्याच्या उपाययोजना
- १५ जागेवर एस.टी.पी. च्या अनुषंगाने सुरक्षेच्या दृष्टीने केलेल्या उपाय योजना

- ५०३५.०० चौ.मी.
- १७५०६.८४ चौ.मी+ ११८७३.७७ चौ.मी. = २९३८०.६१ चौ.मी.
- टॉवर -२, टॉवर-१, टॉवर-२ उंची ४७.२५ मी,
- 960
- -
- आहे.
- आहे.
- निवासी वापराकरीता १०१.२५० KLD
- निवासी वापराकरीता ९४.५०० KLD
- निवासी वापराकरीता ९५.०० KLD
- निवासी वापराकरीता १०५.०० KLD
- सोबत जोडला आहे.
- लायसन्स आर्किटेक्ट यांनी साद्र केलेल्या प्रस्तावि नकाशात दर्शविला आहे.
- गार्डन, फ्लिशिंग व इत्यादी
 - नियोजित एस.टी.पी चे सुरिक्षाततेच्या दृष्टीकोणातु एस.टी.पी चे क्षेत्र लगतच्या बांधकामापासून स्वंत ठेवण्यासाठी आवश्यक भिंत/गेट इ.बांधकाम करण विकसकावर बंधनकारक राहील.

मा.अधिक्षक अभियंता मलिनःसारण विभाग यांची संदर्भ क्र.३ अन्वये खालील अटीस अधिन राहून नियोजित बांधकामासाठी ड्रेनेज विभागाचा अंतरिम पर्यावरण ना हरकत दाखला (प्रोव्हिजनल NOC) देणेस हरकत नाही.

- १) विषयांकित मिळकती मधील इमारतीतील बेसमेंट चे कनेक्शन व एस.टी.पी चे कनेक्शन पुणे महानगरपालिकेच्या ड्रेनेज लाईन यास जोडू नये.
- २) एकुण बांधंकाम क्षेत्र (FSI+NON FSI) २९३८०.६१ चौ.मी पर्यंत मर्यादीत ठेवावे तथापी अर्जदाराने सादर केलेल्या संकल्पनात्मक नकाशात कोणताही फेरबदल केल्यास अर्जदाराने सुधारीत अर्ज सादर करणे बंधनकारक राहिल.
- ३) नैसर्गिक निचरा व्यवस्थेमध्ये बदल करता येणार नाही. व पानथळ जागेत कोणतेही बांधकाम करता येणार नाही.
- ४) पाणी कार्यक्षम उपकरनांचा वापर करणे आवश्यक राहिल किमान एक रिचार्च प्रति ५००० चौ.मी बांधकाम क्षेत्रासाठी नियोजित करणे आवश्यक राहिल. व पावसाच्या पाण्याचा रिचार्ज उथळ सिछ्ट्रि पर्यंतच मर्यादित ठेवावे लागेल पाणी रिचार्ज करणे शक्य नसल्यास पावसाच्या पाण्याची साठवण टाकी करावी लागेल तसेच भुजल उपसाकरीता सक्षम अधिकाऱ्याकडून परवानगी घ्यावी लागेल.
- ५) ओला व सुक्या कचऱ्या करीता सदर जागेत स्वतंत्र कंटेनर ची सोय करून सुका कचरा अधिकृत विक्रेत्याला द्यावा लागेल. विघटन होणाऱ्या ओला कचऱ्यासाठी गांडूळ खत प्रकल्प अर्जदार/विकसक/जिमन मालक यांनी स्वखर्चीने करावयाचा आहे.
- ६) Solid Waste (Management) rules 2016 e-waste (Management) rules 2016 & Plastic waste (Management) rules 2016 च्या तरतुदचे पालन करावे लागेल.
- ७) सार्वजनिक स्वच्छता व आरोग्य उपविधी २०१७ मधील सर्व अटी विकसकांवर बंधनकारक राहतील.
- ८) पर्यावरण विभाग व महाराष्ट्र पोल्युशन कन्ट्रोंल बोर्ड यांचेकडील एस.टी.पी बाबत कन्सेंट टू ऑपरेट लेटर इ. प्राप्त करण्याची जबाबदारी इतर सर्व अटी विकसकावर बधंनकारक राहतील.
- ९) निवासी वापराकरीता १०५.०० KLD प्रति दिन क्षमतेचा सांडपाणी प्रक्रिया यंत्रणा (Sewage Treatment Plent) बसवावा लागेल व सांडपाणी यंत्रणेमधून निघणाऱ्या गाळाची विल्हेवाट Centeral Public Helth And Environmental Engineering Organisation (C.P.H.B.EO.) च्या नियमावली प्रमाणे करावी लागेल.
- १०) प्रक्रिया केलेल्या सांडपाण्याचा वापर फ्लिशिंग आणि लॅन्डस्कॅपिंग साठी करावा लागेल तसेच अतिरिक्त सांडपाण्याची विल्हेवाट सेंट्रल पोल्युशन कन्ट्रोंल बोर्ड (C.P.C.B) नियमावली प्रमाणे करावी लागेल.
- ११) Energy Conservation Building code (E.C.B.C.) च्या तरतुदीचे पालन करावे लागेल व सामान्य क्षेत्रामध्ये L.E.D दिवे लावावे लागतील.
- १२) सौर उर्जेवर पाणी तापविण्यासाठी ची यंत्रणा अर्जदार/विकसक/जिमनमालक यांनी इमारतीचे वापरापुर्वी स्वखर्चाने करावयाची आहे.
- १३) बांधकामातील वेस्टेजची व्यवस्था व विल्हेवाट लावण्यासाठी Construction and demolition Waste rules 2016 चे पालन करावे लागेल व जमीनीवरील मातीचा जास्तीत जास्त पुर्नवापर करावा लागेल.
- १४) पर्यावरण अनुकूल असलेले बांधकाम साहित्य वापरावे लागेल.
- १५) D.G Set चा exhaust pipe C.P.C.B च्या नियमावलीनुसार करावा लागेल.
- १६) विषयांकित मिळकतीच्या जिमनीच्या क्षेत्रफळानुसार पुणे महानगरपालिकेच्या मान्य धोरणानुसार आवश्यक झाडे/वृक्ष लागवड करणे व त्याची जोपसना करणे अर्जदार/विकसक/जिमनमालक यांचेवर ते बंधनकार राहिल.
- १७) बांधकाम कामगारांकरीता पिण्याचे पाणी व स्वच्छता विषयक सुविधा देणे बंधनकारक राहिल.
- १८) पर्यावरणाच्या नियमावलीचे उल्लंघन केल्यास Environment (Protection) Act 1986 च्या कलमान्वये अर्जदार यांचेवर कायदेशीर कारवाई केली जाईल.

- १९) विषयांकित मिळकती मधील नियोजित इमारतीचे बांधकाम मंजूर नकाशा नुसार पुर्ण झाले नंतर संबधित क्षेत्रिय कार्यालयाकडे एस.टी.पी चा नाहरकत प्रमाणपत्रा करीता प्रस्ताव दाखल केल्यानंतर भविष्यात म.न.पा.चे तत्कालीन धोरणानुसार व नियमानुसार योग्य ती पुर्तता केल्यानंतर एस.टी.पी साठी अंतिम नाहारकत दाखला मिळणेकामी स्वतंत्र पुणे महानगरपालिकेच्या संबधित क्षेत्रिय कार्यालयाकडे मंजूरी घेणे विकसाकावर बंधनकारक राहिल.
- २०) अर्जदार यांनी सादर केलेली कोणतीही माहिती अथवा कागदपत्रे हि चुकीची/दिशाभुल करणारी अढळल्यास प्रस्तुतची एनव्हायरमेंटल क्लिअरन्सकरीता दिलेला प्रोव्हिजनल दाखला रद्द करण्यात येईल.

तरी स.नं.३०/२ब पैकी, खराडी, पुणे या मिळकती मधील इमारत नियोजित बांधकामासाठी वरील क्र.१ ते २० या अटींवर इनव्हायरमेंटल क्लियरन्सकरीत ड्रेनेज विभागाकडून प्रोव्हीजनल दाखला संबधित विकसकास देणे करीता मा.अधिक्षक अभियंता, मलिन:सारण विभाग यांची ठ.क्र.मलिन/EC/१६८/२०२३ दि.०४/०७/२०२३ अन्वये मान्यता मिळालेली असून त्यानुसार सदरचा दाखला आपणास देण्यात येत आहे.

कनिष्ठ अभियंता मलिनःसारण देखभाल व दुरुस्ती पुणे महानगरपालिका

उप अभियता मलनिःसारण देखभाल व दुरुस्ती पुणे महानगरपालिका

कार्यकारी अभियंता मलनिःसारण देखभाल व दुरुस्ती पुणे महानगरपालिका WYSAR! E 1/0/23



कार्यकारी अभियंता कार्यालय लष्कर पाणीपुरवठा विभाग पुणे महानगरपालिका जावक क्र.:-

देनांक :- 2 3 JUN 2023

PROVISIONAL ENVIRONMENT CERTIFICATE

जिंदाल मित्तल गृह निर्माण प्रा.लि.तर्फे डायरेक्टर श्री.नरेश रामचंद्र मित्तल, २०९५,सदाशिव पेठ,विजया नगर कॉलनी, नीलायम थेटर चौक पुणे ४११०३०,

विषय:- मौजे- खराडी,ता.-पुणे शहर,जिल्हा -पुणे येथील स.न.३०/२ब, पुणे या मिळकतीवर होणाऱ्या गृह व व्यापारी प्रकल्पासाठी पर्यावरण ना-हरकत प्रमाणपत्रासाठी पाणीपुरवठा विभागाचे अभिप्रायाबाबत.

संदर्भ :- १. लष्कर पाणीपुरवठा विभागास प्राप्त झालेले पत्र आ.क्र.८६४,दि.०६/०६/२०२३.

२. बांधकाम विभागाकडील सी.सी. क्र.CC/०२४७/२३ दि.२७/०४/२०२३नुसार.

संदर्भ क्र.१ चे पत्रान्वये विषयांकित नियोजित प्रकल्पास पर्यावरण ना हरकत प्रमाणपत्र मिळण्यासाठी पाणीपुरवठा विभागाचे प्राथमिक ना हरकत दाखल्याची मागणी केली आहे. सदर प्रकल्प एकूण ५०३५.०० चौ.मी. क्षेत्रामध्ये प्रस्तावित केला असून सदर प्रकल्पामध्ये एकूण निवासी १५० सदनिका असून त्यासाठी १०१.२५KLD प्रति दिवस पाणीपुरवठा विभागाचे प्राथमिक ना हरकत दाखला खालील १ ते १४ अटीवर देण्यात येत आहे.

- १) विषयांकित मिळकतीवरील गृह प्रकल्पासाठी भोगवटा पत्राच्या प्रमाणात पाणीपुरवठा करण्याकरिता नळजोड प्रस्ताव सादर करावा लागेल.
- २) विकासकामे स्वखर्चाने मनपाचे सूचनेनुसार जलवाहिनी विकसित करावी लागेल.
- ३) एस.टी.पी.बाबत स्वतंत्र माहिती खात्यास सादर करावी लागेल.
- ४) जागेवर बांधकाम चालू करण्यापूर्वी मिळकती मधील मनपाच्या नळ जोडावरील थकबाकी भरून घेऊन सदर नळजोड बंद केले जाईल.
- ५) इमारतीचे पिण्याचे पाणी, वापरायचे पाणी,फ्लशिंगचे पाणी इ.कारणासाठी स्वतंत्र व्यवस्था करणे आवश्यक.
- ६) सदर प्रकल्पाकरिता पाण्याच्या उपलब्धतेनुसार पुणे मनपाकडून होणारा पाणीपुरवठा वगळता जादा पाण्याची व्यवस्था विकासक यांस स्वतः च्या खर्चाने करावी लागेल.
- ७) अंतर्गत वापरण्यात येणाऱ्या फिटिंग्ज ५ लिटर्स प्रती मिनिटा पेक्षा कमी डिस्चार्ज असणाऱ्या आवश्यक.
- ८) सर्व कामे सक्षम कन्सल्टंट यांचे कडून डिझाईन करून त्यांचे सुपरव्हिजन अंतर्गत पूर्ण करणार.
- ९) व्यापारी पाणी वापरासाठी स्वतंत्र संपवेल.
- १०) प्रवर्तकाचे तज्ञ सल्लागार यांनी प्रस्तावित प्रकल्पात सदर प्रकल्प एकूण ५०३५.०० चौ.मी. क्षेत्रामध्ये प्रस्तावित केला असून सदर प्रकल्पामध्ये एकूण निवासी १५० सदिनका असून त्यासाठी १०१.२५KLD प्रति दिवस पाण्याची मागणी केली असून सध्यस्थितीत सदर ठिकाणी पुणे महानगरपालिकेचे पाणीपुरवठा नेटवर्क उपलब्ध असून तत्कालीन पाण्याच्या परिस्थिती नुसार मनपाकडील नियमांनुसार धोरणानुसार यापुढील कार्यवाही तत्कालीन वेळी निश्चित करण्यात येईल.
- ११) मिळकतीची ले आउट मान्य झाल्यानंतर काम चालू करण्याचा दाखला व ले आउट मान्यतेची प्रत खात्यास सादर करणार व वॉटर लाईन डेव्हलपमेंटचा फरक किंवा वॉटर लाईन शुल्क, मीटर ना हरकत प्रमाणपत्र मागण्यापुर्वी मनपा कोषागरात भरावा लागेल अथवा वॉटर लाईन डेव्हलपमेंट करावी लागेल.
- १२) भोगवटा पत्र प्राप्त झाल्यानंतर व भोगवटा पत्राच्या प्रमाणात त्यावेळेच्या मान्य धोरणानुसार व नियमानुसार पाणीपुरवठा उपलब्ध केला जाईल.
- १३) सदर प्रकरणी अपुऱ्या पाणीपुरवठ्याबाबत विकसक हे खात्याकडील सादर केलेल्या हमीपत्रास (नोटरी) जिंदाल मित्तल गृह निर्माण प्रा.लि.तर्फे डायरेक्टर श्री.नरेश रामचंद्र मित्तल यांचे नोटरी रजिस्टर अ,.क्र. ६९२/२०२३ दि.१३/०६/२०२३ अधीन राहणार आहे.
- १४) भविष्यात पाणीसाठा मनपा नियम, नैसर्गिक परिस्थिती व उपलब्ध पाणीसाठा यावर अवलंबून असे कळावे.

(भावना चव्हाण) कनिष्ठ अभियंता लष्कर पाणीपुरवठा विभाग पुणे महानगरपालिका उमाकांव डिग्गीकर) उप अभियंता लष्कर पाणीपुरवठा विभाग पुणे महानगरपालिका

(सुभाष पावरा) कार्यकारी अभियंता लष्कर पाणीपुरवठा विभाग पुणे महानगरपालिका



Date: 08th June 2023

To, Jindal Mittal Graha Nirman Pvt Ltd Mittal House , 2095, Sadashiv Peth , Vijaya Nagar colony, Nilayam Theatre choak, Pune-411030

Sub: - Facilitating Solid Waste Management at your Commercial/Residential " Sun Emerald " situated S.no 30/2B, Village - Kharadi, Tal: Haveli, Dist: Pune, Maharashtra -411014

Dear Sir,

With reference to above subject we intend to facilitate the management of solid waste at your proposed project.

SWaCH Seva Sahakari Sanstha Maryadit, Pune (SWaCH) is India's first wholly-owned cooperative of self-employed waste pickers or waste collectors and other urban poor. It is an autonomous enterprise that ensures provision of front-end waste management services to the citizens of Pune through self-employed informal waste-pickers.

We will facilitate the collection of segregated dry waste (recyclables & non-recyclables: **150 Kg/Day, E Waste 62.5 Kg/Month)** from your registered project "**Sun Emerald**" situated S.no 30/2B, Village - Kharadi, Tal: Haveli, Dist: Pune, Maharashtra -411014 through waste-picker members of SWaCH after completion of project.

Further, you have also confirmed that you have acquired the necessary equipment and infrastructure (OWC: 225 Kg/Day) for management of wet waste at source. If necessary, we can assist in facilitating in-situ wet waste processing using existing infrastructure and equipment through waste-pickers within the premises of your registered project through such affiliates and subject to such terms and conditions as may be applicable. We ensure collection of E-waste from the site at a cost mutually decided all commercial terms must be negotiated with waste-pickers prior to commencement of work.

Assuring you the best of our services.

Thanking You,

For SWaCH Pune Seva Sahakari Sanstha Ltd

Authorized Signatory

Date: 08th June 2023



Harden and an South Act He South

अवतीचे नांव हे जाता प्राप्त कार्य प्राप्त प्र प्राप्त प्राप्त

द्रांक विका बेणानाची सदी ५७०/७२, घोरवडे वेठ, पुणे-४२

Reg. No. PNA(1) GNL/ O/1321/07-08

AGREEMENT

This Agreement ("Agreement") is entered into as on 20/05/ 2023

Between

M/s. Jindal Mittal Graha Nirman Pvt. Ltd a registered Partnership Firm having its registered office at Mittal House,2095, Sadashiv Peth, Vijaya Nagar Colony, Nilayam Theater Chowk, Pune-411030, (herein after referred to as the "Developer") Party No.1.

1 fringe

AND

SWaCH Pune Seva Sahakari Sanstha Maryadit, an autonomous fully owned cooperative of waste pickers in Pune which has its administrative office at 3rd Floor, Old Tilak Road Ward Office, Above SBI (Tilak Road Branch), Pune 411042 (herein after referred to as the "Party No. 2"), Party No.2

WHEREAS, the Developer/Party No.1 is developing a project under name and style of "Sun Emerald" situated at S. No.30/2B, Village - Kharadi, Taluka - Haveli, Distict - Pune, State -Maharashtra, 411014., (herein after referred to as the "said Site")

AND WHEREAS, the Developer requires professional services of a suitable agency to collect, recycle, and/or dispose of all the non-bio-degradable wastes, ("the said Wastes") resulting from the said Site on timely basis;

AND WHEREAS, Party No. 2 has assured the Developer that it can ensure the provision of such services through waste-picker members of the cooperative in accordance with local, state and central regulations;

AND WHEREAS relying on the assurances and representations made by Party No. 2, the Developer has requested the Party No. 2 to facilitate the collection, treating, disposing etc. of the dry and nonrecyclable waste through its members for a period of 12 months from the date of execution hereof, which is accepted by the Party No. 2 subject to the terms and conditions mentioned hereinafter.

NOW THIS AGREEMENT WITNESSETH HEREAFTER

The Party No. 2 hereby agrees to ensure the collection through waste-pickers of non-biodegradable waste (Quantity 150Kg/Day, E waste -62.5 Kg/Month) resulting from the said Site, for a period of 12 (twelve) months from the date of execution hereof, for such user-fees which shall be mutually agreed upon at time of commencement of service with waste-pickers. We ensure collection of E-waste from the site at a cost mutually decided.

This agreement may be renewed for a subsequent term of 12 months or more by mutual consent in writing based on such consideration as may be agreed at the time of renewal. The parties may amend this agreement in writing.

In consideration of receiving services of waste-collection and waste-management, the Developer agrees to pay such user fees to waste-pickers as maybe finalized with them at time of commencement of services directly or through such facilitation mechanisms as may be mutually agreed. The Developer shall ensure the timely payment of user fees to wastepickers and /or shall ensure that the person/ entity in charge of administration of the site shall make such timely payments in case of transfer of administration / ownership to a CHS, Apartment Condominium etc. The Developer may be substituted as party to this Agreement by such person/entity on mutual consent in writing upon transfer of rights / administration of the Site.

4. Notices: Any notice required or permitted to be given under this Agreement shall be in writing, shall be deemed duly given if delivered in person or if sent by registered Post, return receipt requested, on the address stated hereinabove.

5. It is agreed by and between the Parties that either party shall be entitled to terminate this agreement by giving 30 days written notice to the other party. However, the services received from waste-pickers, before the cancellation of this contract, shall be settled in monetary terms with them forthwith.

6. All disputes shall be referred to sole arbitration of the chief executive officer or director of the Party No. 2. Arbitration proceedings shall be governed by the Arbitration and Conciliation Act, 1996. Arbitration shall take place in Pune, Maharashtra, India in English.

Reg. No. PNA(1) GNL/ 0/1321/07-08

 This agreement is subject to Indian Laws and any dispute arising out of the same shall be referred to the courts of appropriate jurisdiction within the city limits of Pune (Maharashtra, India) only.

IN WITNESS WHEREOF, the parties have signed this Agreement on the day and year first above written.

M/s Jindal Mittal Graha Nirman Pvt. Ltd

Through Its Partner

Mr. Naresh R. Mittal

SWaCH Cooperative,

Miss. Poonam Vinod Sonawane

Through Maway

(Developer)

(Party No. 2)

Reg. No. PNA(1) GNL/ O/1321/07-08